


①

②


⑤ **Fľaša reagenčná s modrým uzáverom SIMAX****kat. č. 2070/M**

uzáver a vylievací krúžok z PP - odolnosť do 140°C, dľa EN ISO 4796-1

Obj. číslo	Objem (ml)	GL (mm)	d (mm)	h (mm)	Balenie (ks)
632 414 321 100	100	45	56	105	1
632 414 321 250	250	45	70	143	1
632 414 321 500	500	45	86	182	1
632 414 321 940	1000	45	101	203	1
632 414 321 950	2000	45	130	268	1
632 414 321 956	5000	45	186	355	1
632 414 321 966	10000	45	227	410	1




www.ites.sk



① **Fľaša reagenčná s červeným uzáverom SIMAX** kat. č. 2070/R

uzáver z PBT s PTFE tesnením, vylievací krúžok z PTFE - odolnosť do 180°C, dľa EN ISO 4796-1


Obj. číslo	Objem (ml)	GL (mm)	d (mm)	h (mm)	Balenie (ks)
632 414 321 101	100	45	56	105	1
632 414 321 251	250	45	70	143	1
632 414 321 501	500	45	86	182	1
632 414 321 941	1000	45	101	203	1
632 414 321 951	2000	45	130	268	1
632 414 321 957	5000	45	186	355	1
632 414 321 967	10000	45	227	410	1



② **Fľaša reagenčná s modrým uzáverom SIMAX, hnedá** kat. č. 2070/H

uzáver a vylievací krúžok z PP - odolnosť do 140°C

Obj. číslo	Objem (ml)	GL (mm)	d (mm)	h (mm)	Balenie (ks)
632 414 345 100	100	45	56	105	1
632 414 345 250	250	45	70	143	1
632 414 345 500	500	45	86	182	1
632 414 345 940	1000	45	101	203	1
632 414 345 950	2000	45	130	268	1
632 414 345 956	5000	45	186	355	1



③ **Fľaša úzkohrdlá reagenčná, číra** kat. č. 2002/B

sozabrušenou zátkou

Obj. číslo	Objem (ml)	d (mm)	h (mm)	NZ	Balenie (ks)
632 414 102 050	50	41,5	77	14/15	1
632 414 102 100	100	51,5	103	14/23	1
632 414 102 250	250	69	131	19/26	1
632 414 102 500	500	85	163	24/29	1
632 414 102 940	1000	106,5	199	29/32	1
632 414 102 950	2000	132	245	29/32	1
632 414 142 956	5000*	181	325	45/40	1
632 414 142 966	10000*	227	403	60/46	1


* SIMAX

③ **Fľaša úzkohrdlá reagenčná, hnedá** kat. č. 2002/H

sozabrušenou zátkou

Obj. číslo	Objem (ml)	d (mm)	h (mm)	NZ	Balenie (ks)
632 414 202 050	50	41,5	77	14/15	1
632 414 202 100	100	51,5	103	14/23	1
632 414 202 250	250	69	131	19/26	1
632 414 202 500	500	85	163	24/29	1
632 414 202 940	1000	106,5	199	29/32	1
632 414 202 950	2000	132	245	29/32	1
632 414 242 956	5000*	181	325	45/40	1
632 414 242 966	10000*	227	403	60/46	1

* SIMAX



④ **Fľaša širokohrdlá prachovnica, číra** kat. č. 2006/B

sozabrušenou zátkou

Obj. číslo	Objem (ml)	d (mm)	h (mm)	NZ	Balenie (ks)
632 414 104 050	50	41,5	76	24/20	1
632 414 104 100	100	51,5	95	29/22	1
632 414 104 250	250	69	128	34/24	1
632 414 104 500	500	85	162	45/27	1
632 414 104 940	1000	106,5	187	60/31	1
632 414 104 950	2000	132	238	60/31	1
632 414 144 956	5000*	181	338	85/55	1
632 414 144 966	10000*	227	227	85/55	1


* SIMAX

① **Fľaša širokohrdlá prachovnica, hnedá**
sozabrúsenou zátkou

kat. č. 2006/H

Obj. číslo	Objem (ml)	d (mm)	h (mm)	NZ	Balenie (ks)
632 414 204 050	50	41,5	76	24/20	1
632 414 204 100	100	51,5	95	29/22	1
632 414 204 250	250	69	128	34/24	1
632 414 204 500	500	85	162	45/27	1
632 414 204 940	1000	106,5	187	60/31	1
632 414 204 950	2000	132	238	60/31	1
632 414 244 956	5000*	181	338	85/55	1
632 414 244 966	10000*	227	227	85/55	1


*SIMAX



② **Fľaša úzkohrdlá reagenčná Steilbrust, číra**
sozabrúsenou zátkou

kat. č. 2010/B

Obj. číslo	Objem (ml)	d (mm)	h (mm)	NZ	Balenie (ks)
632 414 126 050	50	41,5	77	14/15	1
632 414 126 100	100	51,5	103	14/23	1
632 414 126 250	250	69	131	19/26	1
632 414 126 500	500	85	163	24/29	1
632 414 126 940	1000	106,5	199	29/32	1
632 414 126 950	2000	133	245	29/32	1



② **Fľaša úzkohrdlá reagenčná Steilbrust, hnedá**
sozabrúsenou zátkou


kat. č. 2010/H

Obj. číslo	Objem (ml)	d (mm)	h (mm)	NZ	Balenie (ks)
632 414 226 050	50	41,5	77	14/15	1
632 414 226 100	100	51,5	103	14/23	1
632 414 226 250	250	69	131	19/26	1
632 414 226 500	500	85	163	24/29	1
632 414 226 940	1000	106,5	199	29/32	1
632 414 226 950	2000	133	245	29/32	1

③ **Fľaša širokohrdlá prachovnica Steilbrust, číra**
sozabrúsenou zátkou

kat. č. 2014/B

Obj. číslo	Objem (ml)	d (mm)	h (mm)	NZ	Balenie (ks)
632 414 127 050	50	41,5	76	24/20	1
632 414 127 100	100	51,5	95	29/22	1
632 414 127 250	250	69	128	34/24	1
632 414 127 500	500	85	162	45/27	1
632 414 127 940	1000	106,5	197	60/46	1
632 414 127 950	2000	133	248	60/46	1



③ **Fľaša širokohrdlá prachovnica Steilbrust, hnedá**
sozabrúsenou zátkou

kat. č. 2014/H


Obj. číslo	Objem (ml)	d (mm)	h (mm)	NZ	Balenie (ks)
632 414 227 050	50	41,5	76	24/20	1
632 414 227 100	100	51,5	95	29/22	1
632 414 227 250	250	69	128	34/24	1
632 414 227 500	500	85	162	45/27	1
632 414 227 940	1000	106,5	197	60/46	1
632 414 227 950	2000	133	248	60/46	1




④ **Fľaša hranatá, číra**
širokohrdlá sozabrúsenou zátkou

kat. č. 2043/B

Obj. číslo	Objem (ml)	A x B (mm)	h (mm)	NZ	Balenie (ks)
632 414 112 100	100	51 x 51	103	29/22	1
632 414 112 150	150	70,5 x 51,5	103	29/22	1
632 414 112 250	250	70 x 50	143	29/22	1
632 414 112 350	350	71,5 x 71,5	153	34/24	1
632 414 112 500	500	92 x 71,5	148	34/24	1
632 414 112 750	750	90 x 71,5	237	45/27	1




www.ites.sk



① **Fľaša hranatá, hnedá**
širokohrdlá so zaobrušenou zátkou

kat. č. 2043/H

Obj. číslo	Objem (ml)	A x B	h (mm)	NZ	Balenie (ks)
632 414 212 100	100	51 x 51	103	29/22	1
632 414 212 150	150	70,5 x 51,5	103	29/22	1
632 414 212 250	250	70 x 50	143	29/22	1
632 414 212 350	350	71,5 x 71,5	153	34/24	1
632 414 212 500	500	92 x 71,5	148	34/24	1
632 414 212 750	750	90 x 71,5	237	45/27	1



② **Fľaša zásobná**

kat. č. 2100


Obj. číslo	Objem (ml)	Sklovina	Kat. č.	Balenie (ks)
632 436 801 046	2000	biela	2100/B	1
632 436 802 046	2000	hnedá	2100/H	1



③ **Fľaša kvapkacia, číra**

kat. č. 2020/B


Obj. číslo	Objem (ml)	d (mm)	h (mm)	NZ	Balenie (ks)
632 414 109 050	50	44	92	14/23	1
632 414 109 100	100	55	106	14/23	1



③ **Fľaša kvapkacia, hnedá**

kat. č. 2020/H

Obj. číslo	Objem (ml)	d (mm)	h (mm)	NZ	Balenie (ks)
632 414 209 050	50	44	92	14/23	1
632 414 209 100	100	55	106	14/23	1




④ **Fľaša indikátorová, číra**

kat. č. 2016/B

so zaobrušenou pipetkou a NZ

Obj. číslo	Objem (ml)	d (mm)	h (mm)	h ₁ (mm)	NZ	Balenie (ks)
632 425 020 050	50	42	107	77	14/15	1
632 425 020 100	100	52	133	103	14/23	1
632 425 020 250	250	70	161	131	19/26	1



④ **Fľaša indikátorová, hnedá**

kat. č. 2016/H

so zaobrušenou pipetkou a NZ


Obj. číslo	Objem (ml)	d (mm)	h (mm)	h ₁ (mm)	NZ	Balenie (ks)
632 425 023 050	50	42	107	77	14/15	1
632 425 023 100	100	52	133	103	14/23	1
632 425 023 250	250	70	161	131	19/26	1

⑤ **Fľaša kvapkacia, číra**

kat. č. 3130/B

s výmennou zátkou, NZ

Obj. číslo	Objem (ml)	NZ	Balenie (ks)
632 426 001 150	150	29/32	1
632 426 001 250	250	29/32	1
632 426 001 500	500	29/32	1



① Fľaša kvapkacia podľa Schustera
so zátčkou (undinka)

kat. č. 2018

Obj. číslo	Objem (ml)	d (mm)	NZ	Balenie (ks)
632 426 005 050	50	47	10/15	1
632 426 005 100	100	58	10/15	1
632 426 005 250	250	75	10/15	1




② Fľaša podľa Woulfa

kat. č. 2038

so zabrusenou zátkou a kohútikom pri dne, NZ

Obj. číslo	Objem (ml)	NZ ₁	NZ ₂	Balenie (ks)
632 415 046 500	500	19/26	19/26	1
632 415 046 940	1000	24/29	19/26	1
632 415 046 950	2000	29/32	19/26	1
632 415 046 956	5000	45/40	24/29	1
632 415 046 966	10000	50/42	29/32	1
632 415 046 967	15000	50/42	29/32	1
632 415 046 968	20000	50/42	29/32	1




③ Fľaša - kyslíkovka (dľa Winklera)

kat. č. 2772/a

so šikmou zátkou, matovaným štítkom, presne označeným objemom


Obj. číslo	Objem (ml)	NZ	Balenie (ks)
632 447 702 154	100 - 150	14,5/23	1
632 447 702 303	250 - 300	19/26	1



④ Fľaša zásobná na injekčné séra

kat. č. 3125

Obj. číslo	Objem (ml)	d (mm)	h (mm)	NZ	Balenie (ks)
632 511 101 250	250	68	145	34/35	1
632 511 101 500	500	83	165	34/35	1
632 511 101 940	1000	105	197	34/35	1
632 511 101 950	2000	125	257	34/35	1
632 511 101 956	5000	178	305	34/35	1
632 511 101 966	10000	220	385	34/35	1
632 511 101 968	20000	286	470	60/46	1



Možno dodať prevedenie s graduáciou kat. č. 3126

Fľaša úzkohrdlá so závitom - liekovka, hnedá

Obj. číslo	Objem(ml)	Uzáver
635 038 040 005	100	GL 24
635 038 040 061	300	GL 28
635 038 040 063	500	GL 28
635 038 040 080	1000	GL 28

Uzávery k liekovkám a tabletkám

Obj. číslo	Uzáver	Priemer (mm)	Balenie (ks)
635 414 041 040	GL 18	18	1
635 414 041 042	GL 28	28	1
635 414 041 043	GL 32	32	1
635 414 041 044	GL 40	40	1
635 414 041 045	GL 50	50	1
635 414 041 046	GL 60	60	1



www.ites.sk



Fľaštička na kvapky s GL 18, hnedá

Obj. číslo	Objem (ml)	Balenie (ks)
634 002 050 002	10	1
634 002 050 004	20	1
634 002 050 006	30	1
634 002 050 008	50	1



① Skúmavka s guľatým dnom – SIMAX

kat. č. 3840

rovný okraj, dľa EN ISO 4142

Obj. číslo	d (mm)	l (mm)	Sila steny (mm)	Balenie (ks)
632 422 010 107	10	75	1,0	1
632 422 010 110	10	100	1,0	1
632 422 012 107	12	75	1,0	1
632 422 012 110	12	100	1,0	1
632 422 014 113	14	130	1,0	1
632 422 015 110	15	100	1,2	1
632 422 015 116	15	160	1,2	1
632 422 015 118	15	180	1,2	1
632 422 016 116	16	160	1,2	1
632 422 018 118	18	180	1,2	1
632 422 020 118	20	180	1,2	1
632 422 020 225	20	250	1,2	1
632 422 024 120	24	200	1,2	1
632 422 030 120	30	200	1,4	1

Uzáver hliníkový s pružinou

na skúmavku s rovným okrajom

Obj. číslo	Úprava	d (mm)	Na skúmavku d (mm)	Kat. č.	Balenie (ks)
396 137 150 044	Žltý elox	16	14-15	WK 15004/4	1
396 137 150 034	Žltý elox	18	16-17	WK 15003/4	1



② Skúmavka s guľatým dnom - SIMAX

kat. č. 7830

vyhnutý okraj, dľa EN ISO 4142

Obj. číslo	d (mm)	l (mm)	Sila steny (mm)	Balenie (ks)
632 422 110 107	10	75	1,0	1
632 422 110 110	10	100	1,0	1
632 422 112 107	12	75	1,0	1
632 422 112 110	12	100	1,0	1
632 422 114 113	14	130	1,0	1
632 422 116 115	16	150	1,2	1
632 422 118 118	18	180	1,2	1
632 422 120 115	20	150	1,2	1
632 422 120 118	20	180	1,2	1
632 422 124 115	24	150	1,2	1
632 422 124 120	24	200	1,2	1
632 422 130 120	30	200	1,4	1



③ Skúmavka s rovným dnom – SIMAX

kat. č. 2422

rovný okraj, dľa EN ISO 4142


Obj. číslo	d (mm)	l (mm)	Sila steny (mm)	Balenie (ks)
632 422 219 416	19	160	1,2	1

① Skúmavka so špicatým dnom - SIMAX

rovný okraj, kónická, dľa EN ISO 4142

kat. č. 3820 ①

Obj. číslo	d (mm)	l (mm)	Sila steny(mm)	Balenie (ks)
632 422 409 210	9	100	1,5	1
632 422 414 208	14	80	1,5	1
632 422 416 212	16	120	1,8	1




② Skúmavka so špicatým dnom - SIMAX

vyhnutý okraj, kónická, dľa EN ISO 4142

kat. č. 3821

Obj. číslo	d (mm)	l (mm)	Sila steny(mm)	Balenie (ks)
632 422 514 210	14	100	1,5	1
632 422 514 212	14	120	1,5	1
632 422 515 108	15	80	1,2	1
632 422 515 110	15	100	1,2	1
632 422 516 210	16	100	1,8	1
632 422 516 212	16	120	1,8	1
632 422 517 112	17	120	1,2	1




③ Skúmavka s guľatým dnom - SIMAX

s GL uzáverom, dľa EN ISO 4142

kat. č. 3830

Obj. číslo	d (mm)	l (mm)	Sila steny(mm)	GL	Balenie (ks)
632 422 631 610	16	100	1,8	18	1
632 422 631 612	16	120	1,8	18	1
632 422 631 616	16	160	1,8	18	1



④ Skúmavka centrifugačná so špicatým dnom - SIMAX

rovný okraj, centrifugačná, dľa EN ISO 4142

kat. č. 2801

Obj. číslo	d (mm)	l (mm)	Sila steny (mm)	Balenie (ks)
632 422 417 290	17	98	1,8	1
632 422 424 290	24	98	1,8	1
632 422 436 290	36	98	2,0	1
632 422 440 211	40	115	2,3	1

Skúmavka SIMAX na vzorky s matovaným štítkom a zátkou NZ

kat. č. 8547

Obj. číslo	d (mm)	l (mm)	Sila steny (mm)	NZ	Balenie (ks)
632 422 811 621	16	150	1,8	12/21	1
632 422 812 222	22	150	1,8	19/26	1
632 422 813 421	34	200	2,0	29/32	1



Skúmavka SIMA centrifugačná s delenou stupnicou - SIMAX

kat. č. 3822

Obj. číslo	Objem (ml)	d (mm)	l (mm)	Balenie (ks)
632 437 210 819	10	17	120	1
632 437 210 821	15	18	140	1
632 437 210 823	25	24	150	1



www.ites.sk



① **Skúmavka kalibrovaná s NZ 14/15 a sklenenou zátkou - SIMAX**
dľa EN ISO 4142

kat. č. 7841

Obj. číslo	Objem (ml)	d (mm)	l (mm)	Balenie (ks)
632 437 860 297	25	14/15	190	1

② **Skúmavka reagenčná - SIMAX**

kat. č. 7832

vyhnutý okraj a delená stupnica, dľa EN ISO 4142

Obj. číslo	Objem (ml)	Del. (ml)	d (mm)	l (mm)	Balenie (ks)
632 437 010 719	10	0,1	13	150	1
632 437 010 721	15	0,1	15	160	1
632 437 010 822	20	0,2	17	160	1
632 437 010 823	25	0,2	17	190	1
632 437 010 925	50	0,5	22	250	1

